Available Online at www.jbpr.in

# Journal of Biomedical and Pharmaceutical Research 3 (1) 2014, 52-57

**RESEARCH ARTICLE** 

# EVALUATION OF SOME BRANDS OF SHAMPOOS ACCORDING TO THE LIBYAN STANDARD **SPECIFICATION**

Mohamed M. Siaan<sup>\*1</sup>, Massud A. S. Anwair<sup>2</sup>, Mosbah A. Elmajeri<sup>1</sup>, Talal H. Zeglam<sup>2</sup>, Mohamed A. Ramadan<sup>1</sup>, Tarq Almog<sup>2</sup>, Jamal S. Elmezogi<sup>3</sup>

<sup>1</sup>Department of Industrial Pharmacy, Faculty of Pharmacy, University of Tripoli – Libya

<sup>2</sup>Department of Pharmaceutical Chemistry, Faculty of Pharmacy, University of Tripoli - Libya

<sup>3</sup>Department of Natural Chemistry, Faculty of Pharmacy, University of Tripoli – Libya

# Received 02 February 2014; Accepted 15 February 2014

#### ABSTRACT

There are many brands of shampoos in Tripoli markets-Libya, available from different sources, locally and imported from other different countries. The aim of this work was to investigate whether such brands comply with the Libyan standard specifications number 280 for shampoos issued by the national center for specifications and standards and to what extent these specifications are applied and restricted with. 14 shampoo brands were randomly collected from Tripoli markets and evaluated for their physicochemical properties including organoleptic characterization, pH measurement, determination of the percent of anionic and nonionic surfactant and the percent of preservative added, also the absence of any alkyl-arryl-sulfonate and the label information were checked. As a result of this work it was found that all investigated shampoo samples had a thick consistency with different colors and odors. Regarding the pH measurement, two shampoo samples were out of the specified range. Five shampoo samples had a total percent of the ionic and nonionic surfactants out of the specified limit. The percent of the preservative for all shampoo samples was within the specified limit. All shampoo samples were free from any alkyl-arryl-sulfonate. Only two shampoo samples were completely comply with the specifications regarding the label information. From such results it is clear that not all shampoo brands available in Tripoli markets comply with the Libyan standard specifications. Therefore the goods should prove their compliance with such standards before releasing them to the market.

Key words: compliance, comply, standards, conform, conformity.

#### **INTRODUCTION:**

The hair of the head has historically been associated with most common but the concentration will vary considerably beauty and social distinction but the technology of hair and from brand to brand and even within a manufacturer's scalp was recently developed by distribution of soap and sanitary facilities.<sup>1</sup> Synthetic detergents have been claimed Cheap shampoos may contain a high detergent to be the most important factor in the growth of shampoo concentration while expensive shampoos may contain very market.<sup>2</sup> Shampoos can be defined as preparations used to little of a cheap detergent. remove surface grease, dirt and skin debris from the hair Many different shampoo brands are available in Tripoli shaft and scalp. Shampoos can be present in many markets, some of them are locally made and others are different forms such as liquid, lotion, cream, paste, gel, dry imported from foreign countries. To control the properties shampoo ...etc.<sup>3,4,5</sup> Normal shampoos are used to clean the of such item, the national center for specifications and hair and scalp leaving the hair soft, lustrous and standards issued the Libyan standard specifications manageable but also there are some specialty shampoos number 280 for shampoos.<sup>12</sup> The aim of this work was to which contain performance property such as antidandruff, nutrition conform the Libyan standard specifications and to what ...etc.<sup>6,7</sup> Evaluation of shampoos comprises the quality extent these specifications are applied and restricted with. control tests including visual assessment and physiochemical controls such as pH, density and

viscosity.<sup>8,9</sup> Sodium lauryl sulfate based detergents are the product range.<sup>10,11</sup>

particular component for unusual investigate how far shampoo brands from Tripoli markets

Table 1: Shampoo brands

#### **MATERIAL AND METHODS:**

14 shampoo brands were collected randomly from Tripoli markets, as shown in table 1

#### Materials:

Shampoo Manufacturer		Country
Dove	Unilever	France
Fa	Shwarzkopf and Henkel	Germany
Fructis	Garnier	U.K
Glemo	Shwarzkopf and Henkel	Germany
Head and Shoulder	Head and Shoulder	France
Herbal spa	Chil wood	U.K
Johnson	Johnson and Johnson	Greece
Noor	National company for soaps and detrgents	Libya
Pantene	Procter and Gample	France
Personal Emedia	Lana cosmetics	S.A.E
Snonas	Arom	Spain
Souplesse	Jasminal laboratories	Tunisia
Sunshower		Turkey
Sunsilk	Elida	Tunisia

The collected shampoo brands were numbered and Titration with 0.004 molar hymen solution (Benzethonium evaluated (regardless of the names and sources) according chloride) was carried out till the pink color turned to gray to the Libyan standard specifications for their blue. The percent of anionic surfactant was calculated physicochemical properties including characterization, pH measurement, determination of the % = 100(M\*V\*E\*D)/(W\*A) percent of anionic and nonionic surfactant and the percent Where M is the molarity of hymen solution, V is the of preservative added, also the absence of any alkyl-arryl- volume consumed from the hymen solution, E is the sulfonate and the label information were checked.<sup>13</sup>

### Methods:

# 1- Organoleptic characterization:

Consistency and color were investigated visually and odor **4- Determination of the percent of nonionic surfactant:** is tested by smelling

### 2- pH measurement:

One gram of shampoo was weighed and transferred to a 100 ml volumetric flask which was partially filled with distilled water and agitated with magnetic stirrer until complete mixing. The flask was then completed to the mark with distilled water and allowed to stand at a temperature of 25°c prior to pH measurement with a pH % = 100(weight of residue)/(weight of sample) meter.14

The average of 3 readings was taken.

### 3- Determination of the percent of anionic surfactant:

Five grams of shampoo were weighed and transferred to a 250 ml volumetric flask which was then completed to the mark with distilled water and agitated with magnetic stirrer until complete mixing. 5 ml from the mixture were transferred to a separating funnel to which 5 ml of mixed indicator (mixture of diamidium bromide and disulphine blue) and 10 ml of chloroform were added and the funnel was shaken well.

organoleptic using the following equation:<sup>15</sup>

equivalent weight of the surfactant, D is the sample dilution, W is the sample weight and A is the volume taken from the diluted solution to be titrated. The average of 3 readings was taken.

Five grams of shampoo were weighed; 30 grams of cationanion exchanger and 100 ml of ethanol were added to them. All were mixed for 30 minutes using a magnetic stirrer, filtered using vacuum pump and ethanol was evaporated to complete dryness, then the residue was weighed. The percent of nonionic surfactant was calculated using the following equation:<sup>16</sup>

The average of 3 readings was taken.

### 5- Determination of the percent of preservative:

Five grams of shampoo were weighed and transferred to a 250 ml volumetric flask which was then completed to the mark with saturated solution of sodium chloride. The mixture was left for 2 hours and then filtered using vacuum pump. 100 ml from the filtrate were transferred to a separating funnel to which 500 ml of chloroform were added in three portions with continuous shaking; each time discharge the lower layer and then allow the separated solution to dry in the oven and 30 ml of alcohol were

using phenolphetaline as indicator until a pink color was alkyl-arryl-sulfonate. appeared. The percent of preservative was calculated using **7- Checking the label information:** the following equation:<sup>17</sup>

# % = 100(M\*V\*E\*D)/(W\*A)

Where M is the molarity of sodium hydroxide, V is the country, the ingredients, instructions for use and storage, volume consumed from the sodium hydroxide, E is the equivalent weight of the sodium benzoate, D is the sample dilution, W is the sample weight and A is the volume taken from the diluted solution to be titrated. The average of 3 Results: readings was taken.

#### 6- Checking the absence of any alkyl-arryl-sulfonate:

In a test tube one ml from the shampoo was mixed with 5 ml of distilled water and 3 drops of rose aniline The test was repeated for 3 times.<sup>13</sup>

added to it then titrated with 0.01 M sodium hydroxide No change in color means the sample is free from any

The label information was checked for the presence of the name of the product, the volume, the producer, the batch number, manufacturing and expiry dates.

# **RESULTS AND DISCUSSION:**

Regarding the test for checking the absence of any alkylarryl-sulfonate, the result for all investigated shampoo brands was no change in color which means that all brands were free from any alkyl-arryl-sulfonate.

hydrochloride were added. Change in color was observed. Other results of this work were presented through the tables 2-6.

Shampoo No.	Consistency	Color	Odor	
1	Thick product	White	Fruit odor	
2	Thick product	Light blue	Characteristic odor	
3	Thick product	Light blue	Limon odor	
4	Thick product	Rose	Rose odor	
5	Thick product	Colorless	Characteristic odor	
6	Thick product	yellow	Limon odor	
7	Thick product	yellow	Characteristic odor	
8	Thick product	Gold	Honey odor	
9	Thick product	Blue	Characteristic odor	
10	Thick product	Blue	Characteristic odor	
11	Thick product	Green	Olive odor	
12	Thick product	Rose	Rose odor	
13	Thick product	Green	Apple odor	
14	Thick product	Crème	Characteristic odor	

Table 2:	Organoliptic	<b>Properties of</b>	Shampoo Brands
----------	--------------	----------------------	----------------

#### Table 3: pH values of shampoo brands

Shampoo No.	Туре	рН	Limit	Remarks	
1	For Adults	7.25	5.5-8.5	Comply with the specifications	
2	For Adults	8.50	5.5-8.5	Comply with the specifications	
3	For Adults	6.86	5.5-8.5	Comply with the specifications	
4	For Adults	6.27	5.5-8.5	Comply with the specifications	
5	For Adults	5.49	5.5-8.5	Comply with the specifications	
6	For Adults	6.60	5.5-8.5	Comply with the specifications	
7	For Children	6.72	6.5-7.5	Comply with the specifications	
8	For Adults	6.62	5.5-8.5	Comply with the specifications	
9	For Adults	7.00	5.5-8.5	Comply with the specifications	
10	For Adults	4.70	5.5-8.5	Do not comply	
11	For Adults	6.50	5.5-8.5	Comply with the specifications	
12	For Adults	7.10	5.5-8.5	Comply with the specifications	
13	For Adults	6.10	5.5-8.5	Comply with the specifications	
14	For Adults	4.90	5.5-8.5	Do not comply	

# Massud A. S. Anwair, et al. Journal of Biomedical and Pharmaceutical Research 3 (1) 2014, 52-57

Shampoo No.	% of Ionic Surfactant	% of Nonionic Surfactant	Total %	Limits	Remarks	
1	12.20	4.30	16.50	≥8%	Comply	
2	15.10	0.80	15.90	≥8%	Comply	
3	10.50	0.84	11.34	≥8%	Comply	
4	6.97	0.81	7.78	≥8%	Do not comply	
5	22.26	0.77	23.03	≥8%	Comply	
6	11.33	2.16	13.49	≥8%	Comply	
7	2.21	3.69	5.90	≥8%	Comply	
8	5.99	1.06	7.05	≥8%	Do not comply	
9	12.11	0.88	12.99	≥8%	Comply	
10	5.18	0.29	5.47	≥8%	Do not comply	
11	6.43	0.92	7.35	≥8%	Do not comply	
12	15.45	2.90	18.35	≥8%	Comply	
13	5.86	1.82	7.68	≥8%	Do not comply	
14	11.36	3.68	14.04	≥8%	Comply	

Table 4: The Percentage of Surfactants in the Shampoo Brands

Table 5: Percentage of Preservative in the Shampoo Brands

Shampoo No.	% of preservative	Limit	Remarks	
1	0.10	≤ 0.20 %	Conform the specifications	
2	0.11	≤ 0.20 %	Conform the specifications	
3	0.06	≤ 0.20 %	Conform the specifications	
4	0.10	≤ 0.20 %	Conform the specifications	
5	0.10	≤ 0.20 %	Conform the specifications	
6	0.09	≤ 0.20 %	Conform the specifications	
7	0.20	≤ 0.20 %	Conform the specifications	
8	0.08	≤ 0.20 %	Conform the specifications	
9	0.01	≤ 0.20 %	Conform the specifications	
10	0.09	≤ 0.20 %	Conform the specifications	
11	0.04	≤ 0.20 %	Conform the specifications	
12	0.08	≤ 0.20 %	Conform the specifications	
13	0.10	≤ 0.20 %	Conform the specifications	
14	0.08	≤ 0.20 %	Conform the specifications	

Table 6: Availability of Information on the Label of the Shampoo Brands

No.	Name	Volume	Producer	Contents	Uses	Instructions	Batch	Dates
1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
2	Yes	Yes	Yes	Yes	Yes	Yes	No	No
3	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
4	Yes	Yes	Yes	Yes	Yes	Yes	No	No
5	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
6	Yes	Yes	Yes	No	No	No	No	No
7	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
8	Yes	Yes	No	Yes	Yes	Yes	No	No
9	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
10	Yes	Yes	Yes	Yes	Yes	No	No	No
11	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
12	Yes	Yes	Yes	Yes	No	Yes	No	No
13	Yes	Yes	Yes	Yes	No	No	Yes	No
14	Yes	Yes	Yes	Yes	Yes	No	No	No

## **DISCUSSION:**

From the results it is clear that there are many shampoo brands available in Tripoli markets from different sources having different oraganoliptic properties as shown in table 2. Libyan standard specifications for shampoos states that the pH of such item must be at the range of 5.5 to 8.5 for adults and 6.5 to 7.5 for children shampoos, as it can be seen from table 3. 2 out of 14 investigated shampoo brands were out of the range and conformity to the standard specifications is not fulfilled. These 2 brands showed lower pH values towards the acidic pH which causes the hair to be contracted and more hard while more alkaline pH causes expansion and more softening of the hair and both extremes acidic or alkaline pH cause the hair to be weak and easy to be broken and lost.<sup>18</sup>

Shampoos depend on detergents for their cleaning function, anionic and nonionic surfactants are the widely used detergents due to their superiority in terms of foaming and cleaning. Libyan standard specifications for shampoos states that the total % of active ingredient (surfactant) must be not less than 8 % . by looking to table 4 it can noticed that 5 out of 14 investigated shampoo brands were out of the limit and compliance to the standard specifications is not fulfilled where all these 5 shampoo brands had an active ingredient (surfactant) less than 8 %. From the results, all investigated shampoo brands were free from alkyl-arryl-sulfonate as needed by the standard specifications also regarding the percent of preservative, all brands contained less than 0.20 % required by the Libyan standard specifications as shown in table 5.

Table 6 explains that only 2 out of 14 investigated shampoo brands were found conforming the information on the label recommended by the standard specifications while other shampoo brands were found missing one or more of the recommendations.

# **CONCLUSION:**

From the results of this work, it can be concluded that not all shampoo brands available in Tripoli markets comply with the Libyan standard specifications. Therefore the goods should prove their compliance with such standards 11. Piret J, Désormeaux A, Bergeron MG. Sodium lauryl before releasing them to the market where it is good to have standard specifications but it is more necessary to apply and keep restricted to such specifications. Further work will be carried out to investigate such brands 12. Libyan standard specifications number 280 for regarding microbiology, rheological evaluations, surface tension measurement, skin sensitization test, eye irritation test and toxicity.

# **REFERENCES:**

- 1. Tao Gao, Ann Bedell. Ultraviolet damage on natural gray hair and its photoprotection. Journal of the Society of Cosmetic Chemists 2001; Vol. 52, No. 2: 103-18.
- 2. Naresh C. Ghose, Dipankar Saha, Anjali Gupta. Synthetic Detergents (Surfactants) and Organochlorine Signatures in Surface Pesticide Water and Groundwater of Greater Kolkata, India. J. Water Resource and Protection 2009;4:290-98.
- 3. Anne Churchill, Michael Meyners, Louisa Griffiths, Pippa Bailey. The Cross-Modal effect of fragrance in shampoo: Modifying the perceived feel of both product and hair during and after washing. Food Quality and Preference 2009; No. 20: 320-28.
- Mitsui T. editor. New cosmetic science. 1st ed. Amsterdam: Elsevier; 1998. p. 158.
- 5. Bennett JE. Antifungal Agents. In: Brunton, LL, Lazo JS, Parker KL. editors. Goodman and Gilman's. The Phrmacological Basis of Therapeutics. 11th ed. New York: McGraw-Hill; 2006. p. 1240.
- 6. Anusha D.B.G., Hewage, W Pathirana, Amara Pinnawela. Potency determination of antidandruff shampoos in nystatin international unit equivalents. Indian Journal of Pharmaceutical Sciences 2008; Vol. 70, No.5: 664-67.
- 7. Eldridge J.M. Surfactant Science Series 1997;68: 83-104.
- 8. Chen R. H. and Heh R. S. Film formation time, skin hydration effects, and physicochemical properties of moisture masks containing different water-soluble chitosans. J. Cosmet. Sci 2000;51: 1-13.
- 9. Rong H. C. and Weei Y. C. Skin hydration effects, film formation time, and physicochemical properties of moisture mask containing Monostroma nitidium watersoluble mucilage. Cosmet. Sci 2003;54: 9-20.
- 10. Marrakchi S, Maibach HI. Sodium lauryl sulfate-induced irritation in the human face: regional and age-related differences. Skin Pharmacol Physiol. 2006; Vol 19, No. 3: 177-80.
- sulfate, a microbicide effective against enveloped and nonenveloped viruses. Curr Drug Targets 2002; Vol 3, No. 1:17-30.
- shampoos issued by the national center for specifications and standards 2002.
- 13. Setzkorn E. A. and Carel A. B. The analysis of alkyl aryl sulfonates by micro desulfonation and gas chromatography. Journal of the American Oil Chemists' Society 1963; Vol. 40, No. 2: 57-59.

- shampoos. J. Soc. Cosmetic Chemists1965;16:187-201.
- 15. Ho Ryul Ryu, Hong Soon Park, Choong Kyun Rhee. Determination sodium of bis(2ethylhexyl)sulfosuccinate (AOT) surfactant with liquid light scattering detector, ultraviolet detector and Technology 2010; Vol.1, No. 1: 55-60.
- 14. Bryce D. M. and Smart R. The preservativation of 16. Angela Tegeler, Wolfgang Ruess and Erich Gmahl. Determination of amphoteric surfactants in cosmetic cleansing products by high-performance liquid chromatography on a cation-exchange column. Journal of Chromatography A 1995; Vol. 715, No. 1: 195-98.
  - chromatography: Comparative study of evaporative **17.** Annual book of ASTM (determination of preservatives in shampoos).
  - conductivity detector. Journal of Analytical Science & 18. Libyan standard specifications number 349 for determination of the active ingredient in detergents, shampoos and soaps.